

# GASTRONORM

**Gastronorm containers**

**GN-Behälter**

**Bacs gastronormes**



**BACINELLE GASTRONORM INOX 18/10** - GN CONTAINERS, STAINLESS STEEL 18/10  
GN-BEHÄLTER, EDELSTAHL ROSTFREI 18/10 - BACS GASTRONORME EN ACIER INOX 18/10

|  | Profondità-Depth<br>Tiefe/Hauteur | lt. | Standard | Maniglie fisse<br>Fixed handles | Maniglie interne<br>Internal handles |
|--|-----------------------------------|-----|----------|---------------------------------|--------------------------------------|
|  <p><b>2/1</b><br/>650 x 530 mm</p>   | mm. 20                            | —   | 14101-02 | —                               | —                                    |
|  | mm. 40                            | —   | 14101-04 | —                               | —                                    |
|  | mm. 65                            | 19  | 14101-06 | —                               | —                                    |
|  | mm. 100                           | 31  | 14101-10 | —                               | —                                    |
|  | mm. 150                           | 46  | 14101-15 | —                               | —                                    |
|  | mm. 200                           | 56  | 14101-20 | —                               | —                                    |
|  <p><b>1/1</b><br/>530 x 325 mm</p>   | mm. 20                            | —   | 14102-02 | —                               | —                                    |
|  | mm. 40                            | —   | 14102-04 | —                               | —                                    |
|  | mm. 65                            | 10  | 14102-06 | —                               | —                                    |
|  | mm. 100                           | 15  | 14102-10 | 14112-10                        | 14142-10                             |
|  | mm. 150                           | 22  | 14102-15 | 14112-15                        | 14142-15                             |
|  | mm. 200                           | 28  | 14102-20 | 14112-20                        | 14142-20                             |
|  <p><b>2/3</b><br/>353 x 320 mm</p>  | mm. 20                            | —   | 14103-02 | —                               | —                                    |
|  | mm. 40                            | —   | 14103-04 | —                               | —                                    |
|  | mm. 65                            | 6   | 14103-06 | —                               | —                                    |
|  | mm. 100                           | 9   | 14103-10 | 14113-10                        | 14143-10                             |
|  | mm. 150                           | 14  | 14103-15 | 14113-15                        | 14143-15                             |
|  | mm. 200                           | 18  | 14103-20 | 14113-20                        | 14143-20                             |
|  <p><b>1/2</b><br/>320 x 265 mm</p> | mm. 20                            | —   | 14105-02 | —                               | —                                    |
|  | mm. 40                            | —   | 14105-04 | —                               | —                                    |
|  | mm. 65                            | 4   | 14105-06 | —                               | —                                    |
|  | mm. 100                           | 6   | 14105-10 | 14115-10                        | 14145-10                             |
|  | mm. 150                           | 10  | 14105-15 | 14115-15                        | 14145-15                             |
|  | mm. 200                           | 13  | 14105-20 | 14115-20                        | 14145-20                             |
|  <p><b>1/3</b><br/>325 x 180 mm</p> | mm. 65                            | 3   | 14107-06 | —                               | —                                    |
|  | mm. 100                           | 4   | 14107-10 | 14117-10                        | 14147-10                             |
|  | mm. 150                           | 6   | 14107-15 | 14117-15                        | 14147-15                             |
|  | mm. 200                           | 8   | 14107-20 | 14117-20                        | 14147-20                             |
|  <p><b>1/4</b><br/>265 x 160 mm</p> | mm. 65                            | 2   | 14108-06 | —                               | —                                    |
|  | mm. 100                           | 3   | 14108-10 | 14118-10                        | 14148-10                             |
|  | mm. 150                           | 5   | 14108-15 | 14118-15                        | 14148-15                             |
|  | mm. 200                           | 6   | 14108-20 | 14118-20                        | 14148-20                             |
|  <p><b>1/6</b><br/>176 x 160 mm</p> | mm. 65                            | 1   | 14109-06 | —                               | —                                    |
|  | mm. 100                           | 2   | 14109-10 | 14119-10                        | —                                    |
|  | mm. 150                           | 2,5 | 14109-15 | 14119-15                        | —                                    |
|  | mm. 200                           | 3   | 14109-20 | —                               | —                                    |
|  <p><b>1/9</b><br/>176 x 110 mm</p> | mm. 65                            | 0,6 | 14110-06 | —                               | —                                    |
|  | mm. 100                           | 1   | 14110-10 | —                               | —                                    |

**BACINELLE GN FORATE** / GN CONTAINERS, PERFORATED  
GN BEHÄLTER, GELOCHT / BACS GN PERFORÉES




**2/1**  
650 x 530 mm

| Profondità/Depth<br>Tiefe/Hauteur | lt. | Standard | Maniglie snodate<br>Folding handles |
|-----------------------------------|-----|----------|-------------------------------------|
| mm. 20                            | —   | 14201-02 | —                                   |
| mm. 40                            | —   | 14201-04 | —                                   |
| mm. 65                            | —   | 14201-06 | —                                   |
| mm. 100                           | —   | 14201-10 | —                                   |
| mm. 150                           | —   | 14201-15 | —                                   |
| mm. 200                           | —   | 14201-20 | —                                   |



**1/1**  
530 x 325 mm

|         |   |          |          |
|---------|---|----------|----------|
| mm. 20  | — | 14202-02 | —        |
| mm. 40  | — | 14202-04 | —        |
| mm. 65  | — | 14202-06 | 14252-06 |
| mm. 100 | — | 14202-10 | 14252-10 |
| mm. 150 | — | 14202-15 | 14252-15 |
| mm. 200 | — | 14202-20 | 14252-20 |



**1/2**  
320 x 265 mm

|         |   |          |          |
|---------|---|----------|----------|
| mm. 20  | — | 14205-02 | —        |
| mm. 40  | — | 14205-04 | —        |
| mm. 65  | — | 14205-06 | 14255-06 |
| mm. 100 | — | 14205-10 | 14255-10 |
| mm. 150 | — | 14205-15 | 14255-15 |
| mm. 200 | — | 14205-20 | 14255-20 |

**TEGLIE** / BAKING PANS  
OFENBLECHE / PLATEAUX



**2/1**  
650 x 530 mm

| Profondità-Depth<br>Tiefe/Hauteur | lt. | art.     |
|-----------------------------------|-----|----------|
| mm. 20                            | —   | 14301-02 |
| mm. 40                            | —   | 14301-04 |
| mm. 65                            | —   | 14301-06 |



**1/1**  
530 x 325 mm

|        |   |          |
|--------|---|----------|
| mm. 20 | — | 14302-02 |
| mm. 40 | — | 14302-04 |
| mm. 65 | — | 14302-06 |



**2/3**  
353 x 320 mm

|        |   |          |
|--------|---|----------|
| mm. 20 | — | 14303-02 |
| mm. 40 | — | 14303-04 |
| mm. 65 | — | 14303-06 |



**1/2**  
320 x 265 mm

|        |   |          |
|--------|---|----------|
| mm. 20 | — | 14305-02 |
| mm. 40 | — | 14305-04 |
| mm. 65 | — | 14305-06 |

**COPERCHI GN, INOX 18/10** / GN LIDS, STAINLESS STEEL 18/10  
GN-DECKEL, EDELSTAHL ROSTFREI 18/10 / COUVERCLES GN, INOX 18/10



Standard Standard      Maniglie Handles      Mestolo Ladle      Maniglie+Mestolo Ladle+Handle      Guarniz. Trimming      Guarniz.+Maniglie Trimming+Handles

|            |          |          |          |          |          |          |
|------------|----------|----------|----------|----------|----------|----------|
| <b>1/1</b> | 14502-00 | 14512-00 | 14522-00 | 14532-00 | 14542-00 | 14552-00 |
| <b>2/3</b> | 14503-00 | 14513-00 | 14523-00 | 14533-00 | 14543-00 | 14553-00 |
| <b>1/2</b> | 14505-00 | 14515-00 | 14525-00 | 14535-00 | 14545-00 | 14555-00 |
| <b>1/3</b> | 14507-00 | 14517-00 | 14527-00 | 14537-00 | 14547-00 | 14557-00 |
| <b>1/4</b> | 14508-00 | 14518-00 | 14528-00 | 14538-00 | 14548-00 | 14558-00 |
| <b>1/6</b> | 14509-00 | 14519-00 | 14529-00 | 14539-00 | —        | —        |
| <b>1/9</b> | 14510-00 | —        | —        | —        | —        | —        |

**Falso fondo forato, GN**

**14400**

GN drainer plate  
Abtropfplatte, GN  
Plateau double fond perforé, GN



| art.     | mod./size |
|----------|-----------|
| 14402-00 | 1 / 1     |
| 14405-00 | 1 / 2     |
| 14407-00 | 1 / 3     |

**Separatore**

**14409**

Adaptor bar  
Stege  
Barrette de composition



| art.     | h. mm. |
|----------|--------|
| 14409-01 | 325    |
| 14409-02 | 530    |



**Bacinelle GN inox 18/10  
CON RIVESTIMENTO  
ANTIADERENTE**

GN containers, stainless steel 18/10,  
WITH NON-STICK COATING

GN-Behälter, Edelstahl Rostfrei 18/10,  
MIT ANTIHAFTBESCHICHTUNG

Bacs GN en acier inox 18/10,  
AVEC REVETEMENT ANTI-ADHESIF



**1/1**  
530 x 325 mm

| Profondità-Depth<br>Tiefe/Hauteur | lt. | art. |
|-----------------------------------|-----|------|
|-----------------------------------|-----|------|

|        |    |          |
|--------|----|----------|
| mm. 20 | —  | 14162-02 |
| mm. 40 | —  | 14162-04 |
| mm. 65 | 10 | 14162-06 |



**1/2**  
320 x 265 mm

|        |   |          |
|--------|---|----------|
| mm. 20 | — | 14165-02 |
| mm. 40 | — | 14165-04 |
| mm. 65 | 4 | 14165-06 |

**TEGLIE CON RIVESTIMENTO ANTIADERENTE**  
BAKING PANS WITH NON-STICK COATING  
OFENBLECHE MIT ANTIHAFTBESCHICHTUNG  
PLATEAUX AVEC REVETEMENT ANTI-ADHESIF



**1/1**  
530 x 325 mm

| Profondità-Depth<br>Tiefe/Hauteur | lt. | art. |
|-----------------------------------|-----|------|
|-----------------------------------|-----|------|

|        |   |          |
|--------|---|----------|
| mm. 20 | — | 14362-02 |
| mm. 40 | — | 14362-04 |
| mm. 65 | — | 14362-06 |



**1/2**  
320 x 265 mm

|        |   |          |
|--------|---|----------|
| mm. 20 | — | 14365-02 |
| mm. 40 | — | 14365-04 |
| mm. 65 | — | 14365-06 |

**Teglia GN 1/1 smaltata**

**44322**

GN 1/1 pan, enamelled  
GN 1/1-Ofenblech, emalliert  
Bac GN 1/1 émaillé



| art.     | dim. cm. | h. cm. |
|----------|----------|--------|
| 44322-02 | 53x32,5  | 2,0    |
| 44322-04 | 53x32,5  | 4,0    |
| 44322-06 | 53x32,5  | 6,5    |

**Griglia GN in filo, inox**

**44421**

GN wire grid, s/s  
GN-Gitter, Edelstahl Rostfrei  
Grille GN, inox



| art.     | mod./size |
|----------|-----------|
| 44421-00 | 2/1       |
| 44422-00 | 1/1       |

**Griglia in filo con sponda, inox**

**44432**

Wire grid with edge, s/s  
Roste mit Seitenwand,  
Edelstahl Rostfrei  
Grille avec arrêt, inox



| art.     | mod./size | h. cm. |
|----------|-----------|--------|
| 44432-21 | 2/1       | 3      |

**Griglia in filo, inox**

**44430**

Wire grid, s/s  
Rost, Edelstahl Rostfrei  
Grille, inox



| art.     | dim. cm. | h. cm. |
|----------|----------|--------|
| 44430-60 | 60x40    | —      |

**Griglia in filo con piedini, inox**







**44431**

Wire grid with feet, s/s  
Rost mit Füßen, Edelstahl Rostfrei  
Grille avec pieds, inox



| art.     | dim. cm. | h. cm. |
|----------|----------|--------|
| 44431-46 | 46x30,5  | 2,5    |
| 44431-60 | 60x40    | 2,5    |







|  | Profondità/Depth<br>Tiefe/Hauteur | Art.     | lt. | Coperchio/Lid<br>Deckel/Couvercle | Griglia/Grid<br>Gitter/Grille |
|--|-----------------------------------|----------|-----|-----------------------------------|-------------------------------|
|  <p><b>1/1</b><br/>530x325 mm</p>  | mm. 65                            | 14562-06 | 8   | 14572-00                          | 14592-00                      |
|  | mm. 100                           | 14562-10 | 12  |                                   |                               |
|  | mm. 150                           | 14562-15 | 18  |                                   |                               |
|  | mm. 200                           | 14562-20 | 24  |                                   |                               |
|  <p><b>1/2</b><br/>320x256 mm</p> | mm. 65                            | 14565-06 | 3   | 14575-00                          | 14595-00                      |
|  | mm. 100                           | 14565-10 | 6   |                                   |                               |
|  | mm. 150                           | 14565-15 | 8   |                                   |                               |
|  | mm. 200                           | 14565-20 | 11  |                                   |                               |
|  <p><b>1/3</b><br/>325x180 mm</p> | mm. 65                            | 14567-06 | 2,0 | 14577-00                          | 14597-00                      |
|  | mm. 100                           | 14567-10 | 3,5 |                                   |                               |
|  | mm. 150                           | 14567-15 | 5,0 |                                   |                               |
|  | mm. 200                           | 14567-20 | 6,5 |                                   |                               |
|  <p><b>1/4</b><br/>265x160 mm</p> | mm. 65                            | 14568-06 | 1,5 | 14578-00                          | 14598-00                      |
|  | mm. 100                           | 14568-10 | 2,5 |                                   |                               |
|  | mm. 150                           | 14568-15 | 3,5 |                                   |                               |
|  | mm. 200                           | 14568-20 | 4,5 |                                   |                               |
|  <p><b>1/6</b><br/>176x160 mm</p> | mm. 65                            | 14569-06 | 0,7 | 14579-00                          | 14599-00                      |
|  | mm. 100                           | 14569-10 | 1,2 |                                   |                               |
|  | mm. 150                           | 14569-15 | 2,0 |                                   |                               |
|  | mm. 200                           | 14569-20 | 2,5 |                                   |                               |
|  <p><b>1/9</b><br/>176x110 mm</p> | mm. 65                            | 14570-06 | 0,5 | 14580-00                          |                               |
|  | mm. 100                           | 14570-10 | 0,7 |                                   |                               |



TERMORESISTENTI DA -100°C a +138°C / COLD RESISTANT UP TO 100°C - HEAT RESISTANT UP TO 138°C



Trasparenti e resistenti, impilabili, leggeri e maneggevoli - Realizzati in polipropilene alimentare, conformi alle normative alimentari internazionali - Non si impregnano di odori e sapori - Lavabili a mano o in lavastoviglie con normali detersivi - Non utilizzare pagliette d'acciaio o ruvide, evitare l'uso di sostanze abrasive - Termoresistenti da -40°C a +100°C - Scala di graduazione in litri per un controllo istantaneo della quantità - Coperchio resistente per una perfetta chiusura stagna - Utilizzabili per la refrigerazione, lo stoccaggio, trasporto, esposizione e distribuzione di tutti i tipi di alimenti.

Material: polypropylene, full compliance with food contact sanitation requirements, light, odourless, transparent, dish-washer safe, unbreakable - Cold resistant up to -40°C - Heat resistant up to +100°C - Easily cleanable, designed to allow for nesting empty containers within one another and stacking bottoms a top of lids - Provided with capacity markers in the angles - Lids tightly fitting - Ideal for commercial food processing and handling facilities - Can be used in all public places where food is prepared, hot/cold stored or served, for holding and display.

|  | Profondità/Depth<br>Tiefe/Hauteur | Art.     | lt. | Griglia/Grid<br>Gitter/Grille |
|--|-----------------------------------|----------|-----|-------------------------------|
|  <p><b>1/1</b><br/>530x325 mm</p> | mm. 65                            | 14702-06 | 8   | 14712-00                      |
|  | mm. 100                           | 14702-10 | 12  |                               |
|  | mm. 150                           | 14702-15 | 18  |                               |
|  | mm. 200                           | 14702-20 | 24  |                               |
|  <p><b>1/2</b><br/>325x256 mm</p> | mm. 65                            | 14705-06 | 3   | 14715-00                      |
|  | mm. 100                           | 14705-10 | 6   |                               |
|  | mm. 150                           | 14705-15 | 8   |                               |
|  | mm. 200                           | 14705-20 | 11  |                               |
|  <p><b>1/3</b><br/>325x180 mm</p> | mm. 65                            | 14707-06 | 2,0 | 14717-00                      |
|  | mm. 100                           | 14707-10 | 3,5 |                               |
|  | mm. 150                           | 14707-15 | 5,0 |                               |
|  | mm. 200                           | 14707-20 | 6,5 |                               |
|  <p><b>1/4</b><br/>265x160 mm</p> | mm. 65                            | 14708-06 | 1,5 | 14718-00                      |
|  | mm. 100                           | 14708-10 | 2,5 |                               |
|  | mm. 150                           | 14708-15 | 3,5 |                               |

|   |                          | Profondità/Depth<br>Tiefe/Hauteur | Art.     | lt. | Griglia/Grid<br>Gitter/Grille |
|---|--------------------------|-----------------------------------|----------|-----|-------------------------------|
|  | <b>1/6</b><br>176x160 mm | mm. 65                            | 14709-06 | 0,7 | 14719-00                      |
|   |                          | mm. 100                           | 14709-10 | 1,2 |                               |
|   |                          | mm. 150                           | 14709-15 | 2,0 |                               |
|  | <b>1/9</b><br>176x110 mm | mm. 65                            | 14710-06 | 0,5 |                               |
|   |                          | mm. 100                           | 14710-10 | 0,7 |                               |

**COPERCHI GN, POLIPROPILENE**  
GN POLYPROPYLENE LIDS  
GN-DECKEL, POLYPROPYLEN  
COUVERCLES GN, POLYPROPYLENE



|            | Neutro<br>Neutre | Blu<br>Blue | Rosso<br>Red | Giallo<br>Yellow | Verde<br>Green |
|------------|------------------|-------------|--------------|------------------|----------------|
| <b>1/1</b> | 14722-99         | 14722-00    | 14722-11     | 14722-22         | 14722-33       |
| <b>1/2</b> | 14725-99         | 14725-00    | 14725-11     | 14725-22         | 14725-33       |
| <b>1/3</b> | 14727-99         | 14727-00    | 14727-11     | 14727-22         | 14727-33       |
| <b>1/4</b> | 14728-99         | 14728-00    | 14728-11     | 14728-22         | 14728-33       |
| <b>1/6</b> | 14729-99         | 14729-00    | 14729-11     | 14729-22         | 14729-33       |
| <b>1/9</b> | 14730-99         | 14730-00    | 14730-11     | 14730-22         | 14730-33       |



| Profondità/Depth<br>Tiefe/Hauteur | lt. | Standard | Coperchio/Lid<br>Deckel/Couvercle | Griglia/Grid<br>Gitter/Grille |
|-----------------------------------|-----|----------|-----------------------------------|-------------------------------|
|-----------------------------------|-----|----------|-----------------------------------|-------------------------------|



**2/1**

650x530 mm

mm. 150  
mm. 200

36  
48

44601-15  
44601-20

44901-00

44911-00



**1/1**

530x325 mm

mm. 65  
mm. 100  
mm. 150  
mm. 200

7  
12  
18  
24

44602-06  
44602-10  
44602-15  
44602-20

44902-00

44912-00



**1/2**

325x256 mm

mm. 65  
mm. 100  
mm. 150  
mm. 200

3,5  
5,0  
8,0  
10,0

44605-06  
44605-10  
44605-15  
44605-20

44905-00

44915-00



**1/3**

325x180 mm

mm. 65  
mm. 100  
mm. 150

1  
3  
5

44607-06  
44607-10  
44607-15

44907-00

44917-00



**1/4**

265x160 mm

mm. 100  
mm. 150

2  
3

44608-10  
44608-15

44908-00

44918-00



**1/6**

176x160 mm

mm. 65  
mm. 100  
mm. 150

0,4  
1,5  
2,0

44609-06  
44609-10  
44609-15

44909-00

44919-00



**1/9**

176x110 mm

mm. 65  
mm. 100

—  
—

44610-06  
44610-10

44910-00

44920-00

**Termoresistenti da -80°C a +135°C. - Cold resistant up to -80°C - Heat resistant up to +135°C.**